Specimen Requirements

FOR ORAL PATHOLOGY

A leaking container can compromise the fixation and integrity or stability of

the specimen.

<u>ALWAYS</u> include white and yellow requisition copies in the specimen bag's pouch pocket (keep pink copy for your records). If you use an EMR, please print out a copy of the e-requisition and include it with each specimen. When labeling specimen, always include two forms of patient identifiers – patient's name and patient's Date of Birth (D.O.B.) and/or Social Security number. Patient's specimen must be labeled in the presence of the patient (or patient's representative).

Histology

SPECIMEN:

WE ACCEPT ALL BIOPSIES AND EXCISION SPECIMENS FROM ALL SITES INCLUDING TONSILS (EVALUATIONS FOR LYMPHOMA)

- Formalin-fixed Tissue Biopsy (use formalin container)
- Paraffin-embedded Biopsy
- Unstained Slides POSITIVELY CHARGED SLIDES ONLY

ACUPATH PERFORMS BOTH FLOW CYTOMETRY <u>AND</u> HISTOLOGY / NON-GYN CYTOLOGY TESTING ON THE <u>SAME SPECIMEN</u> FOR LYMPHOMA EVALUATIONS. Please split the specimen and submit in the proper media*.

*See requirements below for Histology, Non-Gyn Cytology and Flow Cytometry.

TRANSPORT: Place in biopsy container with 10% formalin fixative (use formalin container) and seal lid tightly or place capped syringes, contained slides or paraffin blocks in Acupath biohazard specimen bag and zip pouch. Insert <u>ALL</u> paperwork in rear pouch. All containers, syringes and slides must be labeled with the patient's name and either D.O.B. or Social Security number. When possible, write the location/type of specimen and physician who performed the procedure. **During the summer months, use a cold pack when shipping a block. Blocks received melted in transit will be re-embedded.**

SLIDES MUST BE INDIVIDUALLY LABELED IN PENCIL WITH PATIENT'S FIRST AND LAST NAME.

Non-Gyn Cytology

SPECIMEN:

- Brushings / Direct Smears
- Fine Needle Aspiration / direct smears and/or fluid material
- Brushings / Brush tip
- Sputum

TRANSPORT (DO NOT SUBMIT ANY CYTOLOGY SPECIMENS IN FORMALIN):

- Fine Needle Aspiration / direct smears and/or fluid material: Use Fine Needle Aspiration (FNA) tube, ThinPrep® CytoLyt Solution, orange tube top.
- <u>Brushings / Direct Smears:</u> Slides should be received fixed in 70% ethyl alcohol slide container, however we will accept dry slides. *Please note on requisition the <u>site and side</u> of the brushing.*
- <u>Brushings / Brush tip</u>: Submit brush tip in ThinPrep®CytoLyt Solution tube, orange tube top. *Please note on requisition the* <u>site and side</u> of the brushing.
- <u>Sputum</u>: Collect sputum in empty container and add ThinPrep® CytoLyt Solution in equal proportion to the specimen. Ensure the specimen is sputum from the respiratory tract. <u>Do not submit saliva</u>.

Containers and tubes should be labeled with the patient's name, D.O.B. or Social Security number, location/type of specimen and physician who performed the procedure. Place tubes and containers into Acupath specimen bag, and zip pouch. Insert <u>ALL</u> paperwork in rear pouch. SLIDES MUST BE <u>INDIVIDUALLY LABELED</u> IN <u>PENCIL</u> WITH PATIENT'S FIRST AND LAST NAME. If using cytology kit, place specimen tube and slide container in corresponding slots in tray located in cytology kit. Remove tray from cytology kit, place in biohazard specimen bag, then seal bag. Place tray back in cytology kit with <u>ALL</u> paperwork and close kit tight. <u>PLEASE DISCARD ANY UNUSED TUBES</u>, <u>SLIDES AND CONTAINERS</u>.

Direct Immunofluorescence (DIF)

SPECIMEN:

• Skin or Mucous Membrane (place in MICHEL'S FIXATIVE - Container with Bright Pink Label, DO NOT PLACE IN FORMALIN)

TRANSPORT: All specimens undergoing DIF should be immediately placed in <u>MICHEL'S FIXATIVE</u> supplied by Acupath Laboratories, Inc. DIF specimens placed in fixative other than Michel's fixative will be rejected. All DIF specimens should arrive in the laboratory within 24 hours of removal from the patient. Containers must have the patient's name and D.O.B. or Social Security number, location/type of specimen and physician who performed the procedure on lime green label. Place containers in Acupath biohazard specimen bag, and zip pouch. Insert <u>ALL</u> paperwork in rear pouch.

Flow Cytometry

SPECIMEN:

Fine Needle Aspirate (FNA)/Tissue (Submit in complete <u>RPMI media</u>, 4°C). Note: RPMI media is a pink solution that may be requested from Acupath Laboratories. When ordering supplies, specify RPMI media tubes.

TRANSPORT: <u>ALL</u> FNA/Tissue should be transported in complete **RPMI** media at 4°C <u>with cold pack(s)</u>. Label each tube and/or container with the patient ID and attach label to each specimen. Insert tubes and containers into small zip-lock specimen bag and seal the plastic zipper along its entire track. Remember to keep the specimen cold with cold packs (may be requested from Acupath).

Molecular Genetics

SPECIMEN:

For Infectious Agents (HPV) by In Situ Hybridization (ISH):

- Formalin-fixed Tissue Biopsy (use formalin container)
- Paraffin-embedded Biopsy

TRANSPORT: Place in biopsy container with 10% formalin fixative (use formalin container) and seal lid tightly. Place containers or paraffin blocks in Acupath biohazard specimen bag and zip pouch. Insert <u>ALL</u> paperwork in rear pouch. All containers must be labeled with the patient's name and either D.O.B. or Social Security number. When possible, write the location/type of specimen and physician who performed the procedure. **During the summer months, use a cold pack when shipping a block. Blocks received melted in transit will be re-embedded.**



SPOR-2, ver 1 | JUL 2024